


AcuPoint Analysis APHASIA


Points






















AcuPoint Analysis APHASIA

(DESCRIPTIONS)

Point	Description
C22	In the center of the depression above the supraorbital notch, the pressure being applied downward alongside the trachea.
C23	Above the Adam's apple, in the depression at the upper border of the hyoid bone.
G15	In the midline of the back of the neck 1/2 Cun into the natural hairline, between the 1st and 2nd cervical vertebrae.
G20	On the midpoint of the skull on a line connecting the tops of the ears.
GB20	This point is right under and against the base of the skull, in the two small muscular grooves at the back of the neck, two to three inches apart depending on the size of the head.
LU06	Connect a line between LU05 and LU09. LU06 is located on the medial border of the radius, 7 Cun from the wrist crease and 5 Cun from the inner elbow crease.
LU10	On the palm side of the hand in the center of the pad at the base of the thumb
ST36	The width of one hand (3 Cun) below the bottom of the kneecap, and the width of one thumb (1 Cun) toward the outside of the leg (direction of the small toe.) Found in the trough or valley where the two most prominent bones of the calf come together.
T08	The width of one hand above the most prominent crease on the upper wrist, in line with the middle finger.
UB15	1.5 Cun from the spine midline, near the middle of the bony part of your shoulder blade (scapula). Lateral to the fifth thoracic vertebra. Easily stimulated with the Back-eze.