







LEG



- ETF03** THIGH, Chinese Constipation Point, Antihistamine Point. Located on the 3th zone of the Triangular fossa.
- FO24** Hip. Outside foot.
- GB30** Near the "ball-joint" of the hips. Squeeze the buttocks together tightly, place the Acu-Ki in the depression formed at the hip, relax the buttocks and begin the stimulation.
- GB34** Slightly below the level of the botton on the kneecap, on the outer side of the leg, in the slight depression formed when the knee is completely straight. Forward of a line to the crown of the outer ankle.
- HO47** Sciatic nerve.
- SP06** The width of one hand (3 thumbs) above the crown of the inner ankle, just behind the shin bone on the front of the leg.
- SP09** On the inner portion of the leg, just below the level of the kneecap, in the concave depression just above the calf, in line with the crown of the inner ankle.
- ST36** The width of one hand (3 Cun) below the bottom of the kneecap, and the width of one thumb (1 Cun) toward the outside of the leg (direction of the small toe.) Found in the trough or valley where the two most prominent bones of the calf come together.
- UB54** In the center of the crease at the rear of the knee, between the two ligaments. Do not use this point if you have varicose veins.
- UB57** In the center of the base of the calf muscle, midway between crease behind the knee and the heel at the bottom of the calf muscle buldge.
- UB60** In the hollow (or valley) behind the crown of the outer ankle.