
AcuPoint Analysis PARKINSON'S DISEASE 1

Points



AcuPoint Analysis PARKINSON'S DISEASE 1

(DESCRIPTIONS)

Point	Description
C06	1.5 Cun below the navel.
G04	On the spine atop the third lumbar vertebra, in line with the waist on a "normal-waisted" person.
G12	On the spine, between the 3rd and 4th thoracic vertebra, 4 cun above the bottom edge of the scapula.
G20	On the midpoint of the skull on a line connecting the tops of the ears.
GB20	This point is right under and against the base of the skull, in the two small muscular grooves at the back of the neck, two to three inches apart depending on the size of the head.
SI03	On the outer edge of the hand, directly behind the nearmost knuckle of the littlest finger.
Ll11	On the extreme end of the outer crease of the elbow. Bend your arm tightly and place your Acu-Ki on the end of the crease. Keep your massager in place while opening the arm and stimulate the point on your relaxed arm downward toward your forearm.
K01	On the bottom of the foot, in the middle, just behind the ball (the most padded forward part).
ST36	The width of one hand (3 Cun) below the bottom of the kneecap, and the width of one thumb (1 Cun) toward the outside of the leg (direction of the small toe.) Found in the trough or valley where the two most prominent bones of the calf come together.
H07	Palm facing you, on the wrist crease closest to the hand, in the hollow directly in line with the inside of the little finger.
LU05	In the hollow, but more toward the outside (direction of the thumb) of the inner elbow crease.
UB10	0.5 cun just beneath the base of the skull, on the ropy muscles and 0.5 cun from the spine midline.
C12	4 cun above the navel, along the mid-line.
ST33	3 Cun above the knee cap along the side of the thigh bone.
T23	In the depression at the outer edge of the eyebrow.
UB62	In the first indentation directly below the outer anklebone. This hollow is one-third the distance from the outer ankle bone to the bottom of the heel.