Diabetes Mellitis

C12 4 cun above the navel, along the mid-line.

K03 The width of two thumbs above the crown of the inner ankle$_1$ still on the inner side of the leg, but almost to the rear of the leg. Do not strongly stimulate this point after the third month of pregnancy.

K05 Between the crown of the inner ankle and the tip of the heel. The spot that is most pressure sensitive may be relatively large compared to most other points, and is found about 2 thumbs from the tip of the heel.

K07 The width of two thumbs above and slightly behind the inside crown of the inner ankle.

LUI0 On the palm side of the hand in the center of the pad at the base of the thumb

LUI1 0.1 Cun from the nail bed bottom comer on the top of the thumb. Between the nail and the first joint of the thumb, just behind the nail on the side farthest from the other fingers.

ST38 The width of one hand (3 Cun) below the bottom of the kneecap, and the width of one thumb (1 Cun) toward the outside of the leg (direction of the small toe.) Found in the trough or valley where the two most prominent bones of the calf come together.

UB13 1.5 Cun from the spine midline, just above the inside end of the bony part of your shoulder blade (spine of scapula). Level with the third thoracic vertebra about 4 cun above the bottom edge of the scapula.


UBI7 1.5 Cun from the spine midline, along an imaginary line drawn between the bottoms of the shoulder blades (scapula). Easily stimulated with the Back-eze.


UB20 1.5 cun from the spine midline, between the 11th and 12th thoracic vertebra. 3.5 cun above the waist line on a normal-waisted person. Easily stimulated with the Back-eze.


UB23 1.5 **cun** from the spine on a level between the 2nd and 3rd lumbar vertebra level with the waist. Easily stimulated with the Back-eze.

UB27 1.5 cun from the spine on a level with the 1st posterior sacral foramen. 5 cun below the waist line. Easily stimulated with the Back-eze.


UB28 1.5 Cun from the spine midline, between the lower medial border of the posterior superior iliac spine and the sacrum. 2 cun above the point where the buttocks for a crease. Easily stimulated with the Back-eze.


C 12


K 3



K 5



K 7



Lu 10



Lu 11



St 36



UB 13


UB 17


UB 20


UB23


UB 27


UB 28

ECRO2 LIVER, CIRRHOSIS, HEPATITIS

ECWO7 THYMUS GLAND, THORACIC SYMPATHETIC GANGLIA

EHXOI Point 0, Solar Plexus, Umbilical Cord, External Genitals F, Penis or Clitoris, Sexual Desire


EPCO2

EPC04

ESCO7 PANCREAS, ASCITES POINT

ETIEO2 Master Point 1, (Shen Men), French Hip, Chinese Shen Men (Divine Gate), Pelvic Cavity, French Wonder Point. Located in the middle of the 2st zone of the Triangular Fossa. This master point alleviates pain, tension, anxiety, and depression.

EWTO5 Master Point 4, (Endocrine Hormones), French Anterior Pituitary, Chinese Internal Secretion Point, Endocrine Hormone Point, Endorphin Hormone, Parathyroid Control. Located on the 5th zone of the Wall of the Antitragus. This master point brings Endocrine Hormones to their appropriate homeostatic levels, either raising or lowering their secretions. It functions by activating the Pituitary Gland below the brain, which is the master gland controlling all other Endocrine Glands.


TF2
WT 5
HX1
CR2
CW7
SC7
PC
2
PC
4